

Memorandum

February 6, 2015

To: Redevelopment Commission

From: Janet Fawley

Re: Request for Purchase Order for Snow Throwers for Parks and Recreation

Approval is requested for a Purchase Order for \$1,798.00 to Riggs Outdoor Power Equipment for two Cub Cadet Snow Thrower. An appropriation of \$2,500.00 has been provided in the 2015 LVTIF Spending Authorization.

Three companies were contacted on 2/3/15 to request that written quotes be provided to Parks & Recreation for two new 28" Two-Stage Snow Throwers.

A summary of the provided, net quotes follows (the lowest responsive and responsible quote for the preferred snow thrower option is highlighted). The quotes received are attached.

28" Two-Stage Snow Throwers

Riggs \$1,798.00

Lowe's \$1,798.00

West Side Tractor \$1,918.40

An up-to-date non-collusion affirmation form would be provided for filing with the Purchase Order.

Cub Cadet.

2X TWO-STAGE POWER

X SERIES
SNOW THROWERS

2X 524 WE
2X 524 SWE
2X 526 SWE
2X 528 SWE
2X 933 SWE
2X 945 SWE

IDEAL FOR 12" SNOWFALL,
8 - 15+ CAR DRIVEWAY AND
WALKWAYS, SMOOTH
AND GRAVEL SURFACES.

FEATURES

24" - 45" CLEARING WIDTH

21" - 22" INTAKE HEIGHT

SELF-PROPELLED DRIVE

4-WAY SINGLE-HAND OR
REMOTE CHUTE CONTROL

12" - 16" STEEL AUGER
AND IMPELLER

CUB CADET® OHV
4-CYCLE ENGINE

COOL BLUE™ SKID SHOES

IN-DASH HEADLIGHT

3-YEAR LIMITED
RESIDENTIAL WARRANTY†

1-YEAR LIMITED
COMMERCIAL WARRANTY†

OPTIONAL ATTACHMENTS
AND ACCESSORIES

†See specifications for warranty information.



AMERICAN
INGENUITY
AT ITS BEST

POWERFUL CHOICES TO CLEAR THE WAY.

If you need to clear larger spaces, the Cub Cadet 2X™ two-stage power is the right choice. The self-propelled 2X can tackle winter weather on any surface and features a steel auger that collects snow in the first stage and launches snow out of the chute to complete the second stage. The 2X series offers a full array of clearing width options.

SMARTER FEATURES FOR A BETTER EXPERIENCE. THAT'S THE **CUB CADET ADVANTAGE.**




TRIGGER-CONTROL POWER STEERING

With just one finger, you can engage the power steering on the 2X models. Giving you unmatched control, effortless maneuverability and single-hand operation. (2X 524 WE excluded)



PUSH-BUTTON ELECTRIC START

A large, powerful 4-cycle Cub Cadet® OHV engine gives you more power. And it all starts with a simple push of a button. Just plug into a standard 110V wall outlet, press the start button, and you're ready to go.



SINGLE-HAND CHUTE CONTROL

4-way chute control allows you to quickly and effortlessly change the direction and pitch of the snow you throw with one hand, so you don't waste time.



OFFICIAL SNOW THROWERS
OF X GAMES ASPEN

Cub Cadet.

YOUR INDEPENDENT DEALER - EXPERT SERVICE. LOCALLY OWNED.
THE ADVICE, SELECTION AND SUPPORT YOU NEED TO FIND THE RIGHT FIT IS
AT YOUR LOCAL CUB CADET DEALER.

cubcadet.com

| MODEL | 2X 524 WE | 2X 524 SWE | 2X 526 SWE | 2X 528 SWE |
|-----------------------------|---|---------------------------------------|---------------------------------------|---------------------------------------|
| Push-button Electric Start | Standard (110 volt) | | | |
| Oil Fill Tube | Extended | | | |
| Clearing Width | 24" | 24" | 26" | 28" |
| Intake Height | 21" | | | |
| Auger Diameter | 12" | | | |
| Auger Design | Heavy-duty serrated steel | | | |
| Impeller Diameter | 12" | | | |
| Self-propelled Drive System | All wheel/ positive traction | Steerable wheel/ positive traction | Steerable wheel/ positive traction | Steerable wheel/ positive traction |
| Steering | Standard | Power steering/trigger | Power steering/trigger | Power steering/trigger |
| Forward/Reverse Speeds | 6 Forward/2 Reverse | | | |
| Heated Hand Grips | Optional | | | |
| Single-hand Chute Control | Standard | | | |
| Chute Rotation | Remote crank/Station control/190° | 4-way/Multi-directional/200° | 4-way/Multi-directional/200° | 4-way/Multi-directional/200° |
| Pitch Control | In-dash remote control | 4-way/Multi-directional/50° | 4-way/Multi-directional/50° | 4-way/Multi-directional/50° |
| Chute | High-impact/clog-resistant | | | |
| Chute Clearing Device | Standard | | | |
| Headlight | In-dash | | | |
| Tires | 15" x 5" | 15" x 5" | 15" x 5" | 16" x 6.5" |
| Tread | X-TRAC™ | | | |
| Deluxe Skid Shoes | COOL BLUE™ rust-resistant, non-marking, reversible | | | |
| Shave Plate | Steel | | | |
| Fuel Capacity | 2 qt. | 2 qt. | 2 qt. | 5 qt. |
| Engine | 208cc Cub Cadet® OHV 4-cycle | 208cc Cub Cadet® OHV 4-cycle | 243cc Cub Cadet® OHV 4-cycle | 277cc Cub Cadet® OHV 4-cycle |
| Approximate Weight | 238 lbs. | 249 lbs. | 264 lbs. | 270 lbs. |
| Warranty† | 3-year limited residential 1-year limited commercial | | | |

| MODEL | 2X 933 SWE | 2X 945 SWE |
|-----------------------------|---|---------------------------------|
| Push-button Electric Start | Standard (110 volt) | |
| Oil Fill Tube | Extended | |
| Clearing Width | 33" | 45" |
| Intake Height | 22" | |
| Auger Diameter | 16" | |
| Auger Design | Heavy-duty serrated steel | |
| Impeller Diameter | 16" | |
| Self-propelled Drive System | Steerable wheel/positive traction | |
| Steering | Power steering/trigger | |
| Forward/Reverse Speeds | 6 Forward/2 Reverse | |
| Heated Hand Grips | Optional | Standard |
| Single-hand Chute Control | Standard | |
| Chute Rotation | Remote crank/Station control/190° rotation | |
| Pitch Control | In-dash remote control | |
| Chute | High-impact/clog-resistant | |
| Chute Clearing Device | Standard | |
| Headlight | In-dash | |
| Tires | 16" x 6.5" | Dual 16" x 6.5" |
| Tread | X-TRAC™ | |
| Deluxe Skid Shoes | COOL BLUE™ rust-resistant, non-marking, reversible | |
| Shave Plate | Steel | |
| Fuel Capacity | 5 qt. | |
| Engine | 357cc Cub Cadet® OHV 4-cycle | 420cc Cub Cadet® OHV 4-cycle |
| Approximate Weight | 430 lbs. | 482 lbs. |
| Warranty† | 3-year limited residential 1-year limited commercial | |

This brochure is for advertisement purposes only. The product depictions are not meant to be used or relied upon as a substitute for the safety and use information that is published in the respective operator's manual. Before operating the machine, read, understand and follow all instructions in the manual and on the machine. Specifications and programs are subject to change without notice. Images may not reflect dealer inventory and/or unit specifications.

The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. † See your local Cub Cadet Independent Dealer for warranty details.

773-05624 Printed in U.S.A. 6/14 © 2014 Cub Cadet



OMZR130A

LOWE'S HOME CENTERS, LLC
LFI 0012

PAGE: 1

PROJECT ESTIMATE

SNOWTHROWER

CONTACT: ,
CUST #: 100974732SALESPERSON: CRAFT, CHESTER
SALES #: 1744943

PROJECT NUMBER: 429987716

DATE ESTIMATED: 02/03/15

| QTY | ITEM # | ITEM DESCRIPTION | VEND PART # | PRICE |
|------------------|--------|-----------------------------|-------------|--------|
| 1 | 139966 | TB 28 IN 277CC SNOW THROWER | 31AH64Q4711 | 899.00 |
| TOTAL FOR ITEMS | | | | 899.00 |
| FREIGHT CHARGES | | | | 0.00 |
| DELIVERY CHARGES | | | | 0.00 |
| TAX AMOUNT | | | | 62.93 |
| TOTAL ESTIMATE | | | | 961.93 |


This Quote is valid until 03/05/15.

MANAGER SIGNATURE_____
DATE

THIS ESTIMATE IS NOT VALID WITHOUT MANAGER'S SIGNATURE.
THIS IS AN ESTIMATE ONLY. DELIVERY OF ALL MATERIALS CONTAINED IN THIS
ESTIMATE ARE SUBJECT TO AVAILABILITY FROM THE MANUFACTURER OR SUPPLIER.
QUANTITY, EXTENSION, OR ADDITION ERRORS SUBJECT TO CORRECTION. CREDIT
TERMS SUBJECT TO APPROVAL BY LOWES CREDIT DEPARTMENT.

LOWES IS A SUPPLIER OF MATERIALS ONLY. LOWES DOES NOT ENGAGE IN THE PRACTICE
OF ENGINEERING, ARCHITECTURE, OR GENERAL CONTRACTING. LOWES DOES NOT ASSUME
ANY RESPONSIBILITY FOR DESIGN, ENGINEERING, OR CONSTRUCTION; FOR THE
SELECTION OR CHOICE OF MATERIALS FOR A GENERAL OR SPECIFIC USE; FOR
QUANTITIES OR SIZING OF MATERIALS; FOR THE USE OR INSTALLATION OF MATERIALS;
OR FOR COMPLIANCE WITH ANY BUILDING CODE OR STANDARD OF WORKMANSHIP.

Your Store:
Lafayette, IN



Troy-Bilt Storm 2840 277cc 28-in Two-Stage Push-Button Electric Start Gas Snow Blower with Heated Handles and Headlight

Item #: 139966 | Model #: 31AH64Q4711

\$899.00

Get 5%* Off Every Day or Special Financing**
Minimum Purchase Required

In-use/lifestyle image - accessories not included

Store Pickup

Your order can be available for pickup in Lowe's Of Lafayette, IN today.

Lowe's Truck Delivery

Your order will be ready for delivery to you from your selected store.

Parcel Shipping

Unavailable for This Order

Sent by carriers like UPS, FedEx, USPS, etc.

Tweet

310

email

Troy-Bilt Storm 2840 277cc 28-in **\$899.00**

Two-Stage Push-Button Electric Start Gas Snow Blower with Heated Handles and Headlight

Description

Storm 2840 277cc 28-in Two-Stage Push-Button Electric Start Gas Snow Blower with Heated Handles and Headlight

- 4-way joystick control lets you adjust direction and height of snow discharge
- Heated hand grips for added comfort in cold conditions
- Larger gas tank for longer run times before refueling
- In-dash headlight and reflective stripes on the auger housing provide added safety in low-visibility conditions
- Extended chute design minimizes snow blowback on operator
- JustOneHand® operation locks in speed, freeing one hand to operate chute and pitch controls
- All wheel drive with choice of 6 forward and 2 reverse speeds gives you control and versatility in winter conditions
- Serrated steel augers cut through snow for faster clearing; reinforced steel housing provides durability and ruggedness for years of use
- Good for snowfalls over 16" and driveways 3 cars wide by 3 cars long

3-Year Outdoor Power Equipment Extended Protection Plan (\$800-\$999.99) **\$149.97**

4-Year Outdoor Power Equipment Extended Protection Plan (\$800-\$999.99) **\$199.97**

Specifications

| | | | |
|---------------------------------------|----------------------------|-----------------------------|---------------|
| Snow Blower Type | Two-stage | Fuel Type | Gas only |
| Engine Brand | Troy-Bilt | Recommended Engine Oil Type | 5W-30 |
| Engine Displacement (Cu. Centimeters) | 277 | Oil Capacity (oz.) | 37 |
| Start Type | Push-button electric start | Auger Diameter (Inches) | 12 |
| Drive Type | Self-propelled | Auger Material | Steel |
| Clearing Width (Inches) | 28 | Engine Type | 4-cycle |
| Intake Height (Inches) | 21 | Chute Material | Plastic |
| Warranty | 2-year limited | Chute Rotation (Degrees) | 200 |
| Commercial Warranty | None | Number of Forward Speeds | 6 |
| Tire Size (Inches) | 16 | Number of Reverse Speeds | 2 |
| Tire Type | Tire | Gear Case | Cast aluminum |
| Pitch Control | Joystick | Some Assembly Required | Yes |
| Heated Handles | Yes | UL Safety Listing | No |
| Headlight | Yes | CSA Safety Listing | No |
| Skid Shoes | Yes | ETL Safety Listing | No |
| Drift Cutters | No | Series Name | Storm |
| Fuel Capacity (Gallons) | 1.25 | | 2840 |



3201 S. 460 E.
Lafayette, IN 47905

800-937-3355
765-447-6933
Fax 765-448-9038

Name West Fayette Park Dept
Address _____
City _____
Phone 412-7256 Jh
Fax _____

[illegible]**TOTAL LIST PRICE**

Quoted by

Date _____

Less TRADE-IN

QUOTATION

Quote valid for 45 days



Deluxe Series Specifications

| Designation | Deluxe 24 | Deluxe 28 | Deluxe 28+ | Deluxe 30 |
|---------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Model # | 921024 | 921030 | 921037 | 921032 |
| Retail Price | \$1,189 | \$1,199 | \$1,419 | \$1,529 |
| Promo Price | \$999 | \$999 | \$1,199 | \$1,299 |
| STAGE TYPE | Two Stage | Two Stage | Two Stage | Two Stage |
| ENGINE DISPLACEMENT(CC's) | 254cc | 254cc | 291cc | 306cc Gen III |
| TORQUE RATING | 12.5 ft/lbs | 12.5 ft/lbs | 14.5 ft/lbs | 15 ft/lbs |
| ENGINE BRAND | Ariens AX | Ariens AX | Ariens AX | Ariens AX |
| STARTING SYSTEM | 120V/Recoil | 120V/Recoil | 120V/Recoil | 120V/Recoil |
| CLEARING WIDTH | 24 in (60.1 cm) | 28 in (71.2 cm) | 28 in (71.2 cm) | 30 in (76.2 cm) |
| HOUSING HEIGHT | 21 in (53.3 cm) | 21 in (53.3 cm) | 21 in (53.3 cm) | 21 in (53.3 cm) |
| THROWING DISTANCE | 3 ft - 50 ft (9 - 15.2 m) | 3 ft - 50 ft (9 - 15.2 m) | 3 ft - 50 ft (9 - 15.2 m) | 3 ft - 50 ft (9 - 15.2 m) |
| CHUTE TURNING RADIUS | 205° | 200° | 200° | 200° |
| CHUTE ROTATION | 2.5x Ice Drill | 2.5x Ice Drill | 2.5x Ice Drill | 2.5x Ice Drill |
| CHUTE CONSTRUCTION | Steel | Steel | Steel | Steel |
| DEFLECTOR CONTROL | Remote | Remote | Remote | Remote |
| DASH TYPE | Compact Ariens | Compact Ariens | Large Ariens | Compact Ariens |
| TIRE SIZE | 16 in x 4.8 in (41 x 12 cm) | 16 in x 4.8 in (41 x 12 cm) | 16 in x 4.8 in (41 x 12 cm) | 16 in x 4.8 in (41 x 12 cm) |
| TREAD PATTERN | Directional Snow Tread | Polar Trac | Directional Snow Tread | Directional Snow Tread |
| AXLE SYSTEM | Auto-Turn | Auto-Turn | Auto-Turn | Auto-Turn |
| DRIVE TYPE | Disc-O-Matic | Disc-O-Matic | Disc-O-Matic | Disc-O-Matic |
| SPEEDS: FORWARD AND REV | 6 Forward/ 2 Reverse | 6 Forward/ 2 Reverse | 6 Forward/ 2 Reverse | 6 Forward/ 2 Reverse |
| GEAR CASE | Cast Iron | Cast Iron | Cast Iron | Cast Iron |
| IMPELLER PROFILE | Steel 3 Blade | Steel 3 Blade | Steel 3 Blade | Steel 3 Blade |
| IMPELLER DIAMETER | 14 in (35.6 cm) | 14 in (35.6 cm) | 14 in (35.6 cm) | 14 in (35.6 cm) |
| AUGER DIAMETER | 14 in (35.6 cm) | 14 in (35.6 cm) | 14 in (35.6 cm) | 14 in (35.6 cm) |
| AUGER TYPE | Steel Serrated | Steel Serrated | Steel Serrated | Steel Serrated |
| SKID SHOES | Reversible | Reversible | Steel Reversible | Steel Reversible |
| PRODUCT WARRANTY | 3yr Consumer, 90 day Commercial | 3yr Consumer, 90 day Commercial | 3yr Consumer, 90 day Commercial | 3yr Consumer, 90 day Commercial |



THE KING OF SNOW

THREE FOUR FIVE